

Professional Power Amplifier

AX SERIES POWER AMPLIFIER

OWNER'S MANUAL


TECHNICAL PARAMETER'S CHANGERS ARE NOT INFORMED.

PROFESSIONAL POWER AMPLIFIER



Our product is improving. When the external form and parameter changes, please refer to the material object. We will not inform you especially.

uII A RPPE pF





Valid
Valid



1 A

2

3 A XRL
1 PIN 1 Ground)2 + PIN 2 Hot) 3 - PIN 3 Cold)

4 A XRL
: 1 PIN 1 Ground)2 + PIN 2 Hot) 3 - PIN 3 Cold)

5 B (XRL)
1 PIN 1 Ground)2 + PIN 2 Hot) 3 - PIN 3 Cold)

6 B (XRL)
1 PIN 1 Ground)2 + PIN 2 Hot) 3 - PIN 3 Cold)

7 B 35

8 / 1M

9 4 8

10 1 4
2
3

11 A/B / 20-180Hz)1 ° 111111

AX

1

2

AX

3

AX

AX

90

88

AX

1 /

/

2

3

(` m b 2 ^ 4 " ~ k ' ' 0 % 6 e o z " k m F ° 1 . AX

g G í G _

3 A 20

4 A LED LED CLIP

)

5 B LED LED CLIP

)

6 B 20